

**APPENDIX D**

**VASCULAR PLANT SPECIES OBSERVED**

## APPENDIX D

### VASCULAR PLANT SPECIES OBSERVED

The following vascular plant species were observed or documented as having a high potential to occur in the study area by various biologists during the course of on-site surveys.

\* Introduced nonnative species

Scientific Name	Common Name	Observed
<b>PTERIDOPHYTA</b>	<b>FERNS AND FERN-ALLIES</b>	
<b>Dryopteridaceae</b>	<b>Wood Fern Family</b>	
<i>Dryopteris arguta</i>	Coastal wood fern	X
<i>Polystichum munitum</i>	Canyon sword fern	X
<b>Polypodiaceae</b>	<b>Polypody Family</b>	
<i>Polypodium californicum</i>	California polypody	X
<b>Pteridaceae</b>	<b>Lip Fern Family</b>	
<i>Pellaea andromedifolia</i>	Coffee fern	X
<i>Pellaea mucronata</i>	Bird's foot cliff-brake	X
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	California goldenback fern	X
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	Bracken fern	X
<b>Selaginellaceae</b>	<b>Spike-Moss Family</b>	
<i>Selaginella bigelovii</i>	Bigelow's spike-moss	X
<b>GYMNOSPERMAE</b>	<b>CONE-BEARING PLANTS</b>	
<b>Cupressaceae</b>	<b>Cypress Family</b>	
* <i>Caloedrus</i> sp.	Cedar	X
<b>Pinaceae</b>	<b>Pine Family</b>	
* <i>Abies</i> spp.	Fir	X
* <i>Pinus</i> spp.	Pine	X
<i>Pseudotsuga macrocarpa</i>	Big-cone Douglas-fir	X
<b>ANGIOSPERMAE: DICOTYLEDONAE</b>	<b>DICOT FLOWERING PLANTS</b>	
<b>Aceraceae</b>	<b>Maple Family</b>	
<i>Acer macrophyllum</i>	Big-leaf maple	X
<b>Adoxaceae</b>	<b>Elderberry Family</b>	
<i>Sambucus mexicana</i>	Mexican elderberry	X
<b>Aizoaceae</b>	<b>Fig-Marigold Family</b>	
* <i>Carpobrotus edulis</i>	Hottentot-fig	X
<b>Amaranthaceae</b>	<b>Amaranth Family</b>	
<i>Amaranthus blitoides</i>	Prostrate pigweed	X
<b>Anacardiaceae</b>	<b>Sumac Family</b>	
<i>Malosma laurina</i>	Laurel sumac	X
<i>Rhus integrifolia</i>	Lemonade berry	X
<i>Rhus ovata</i>	Sugar bush	X
<i>Rhus trilobata</i>	Skunk brush	X
* <i>Schinus molle</i>	Peruvian pepper tree	X
* <i>Schinus terebinthifolius</i>	Brazilian pepper tree	X
<i>Toxicodendron diversilobum</i>	Poison oak	X

Scientific Name	Common Name	Observed
<b>Apiaceae</b>	<b>Carrot Family</b>	
<i>Apiastrum angustifolium</i>	Mock parsley	X
* <i>Daucus carota</i>	Queen Anne's lace	X
<i>Tauschia arguta</i>	Southern tauschia	X
<b>Apocynaceae</b>	<b>Dogbane Family</b>	
* <i>Nerium oleander</i>	Oleander	X
* <i>Vinca major</i>	Blue periwinkle	X
<b>Araliaceae</b>	<b>Ginseng Family</b>	
* <i>Hedera helix</i>	English ivy	X
<b>Asclepiadaceae</b>	<b>Milkweed Family</b>	
* <i>Araujia sericifera</i>	Milkweed vine	X
<i>Asclepias californica</i>	California milkweed	X
<b>Asteraceae</b>	<b>Sunflower Family</b>	
<i>Achillea millefolium</i> var. <i>californica</i>	California yarrow	X
* <i>Ageratina adenophora</i>	Eupatory	X
<i>Ambrosia psilostachya</i>	Western ragweed	X
<i>Artemisia californica</i>	California sagebrush	X
<i>Artemisia douglasiana</i>	Mugwort	X
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote bush	X
<i>Baccharis salicifolia</i>	Mule fat	X
<i>Bidens frondosa</i>	Stick-tight	X
<i>Brickellia californica</i>	California brickellbush	X
<i>Brickellia nevinii</i>	Nevin's brickellia	X
* <i>Carduus pycnocephalus</i>	Italian thistle	X
* <i>Centaurea melitensis</i>	Tocalote	X
<i>Chrysopsis villosa</i> var. <i>fastigiata</i>	Golden-aster	X
<i>Cirsium occidentale</i> var. <i>californicum</i>	California thistle	X
* <i>Cirsium occidentale</i> var. <i>occidentale</i>	Cobweb thistle	X
* <i>Cirsium vulgare</i>	Bull thistle	X
* <i>Conyza bonariensis</i>	Flax-leaved horseweed	X
* <i>Conyza canadensis</i>	Common horsetail	X
<i>Corethrogyne filaginifolia</i>	Sand aster	
* <i>Cotula australis</i>	Australian brass-buttons	X
<i>Deinandra fasciculata</i>	Fascieled tarplant	X
<i>Encelia californica</i>	California bush sunflower	X
<i>Encelia farinosa</i>	Brittlebush	X
<i>Ericameria parishii</i>	Parish's goldenbush	X
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Long-stemmed golden yarrow	X
<i>Filago californica</i>	California filago	X
* <i>Gazania</i> sp.	Gazania	X
<i>Gnaphalium bicolor</i>	Bicolored cudweed	X
<i>Gnaphalium californicum</i>	California cudweed	X
<i>Gnaphalium canescens</i> ssp. <i>microcephalum</i>	White everlasting	X
<i>Hazardia squarrosa</i> ssp. <i>grindelioides</i>	Saw-toothed goldenbush	X
<i>Helianthus annuus</i> ssp. <i>lenticularis</i>	Western sunflower	X
<i>Helianthus gracilentus</i>	Slender sunflower	X
<i>Heterotheca grandiflora</i>	Telegraph weed	X
<i>Heterotheca sessiflora</i> ssp. <i>fastigiata</i>	Bristly golden aster	X
* <i>Hypochaeris glabra</i>	Smooth cat's ear	X
<i>Isocoma menziesii</i> var. <i>vernonioides</i>	Coastal goldenbush	X

Scientific Name	Common Name	Observed
* <i>Lactuca serriola</i>	Prickly lettuce	X
<i>Lepidospartum squamatum</i>	Scale-broom	X
<i>Malacothrix saxatilis</i> var. <i>tenuifolia</i>	Cliff malacothrix	X
<i>Senecio flaccidus</i>	Sand-wash butterweed	X
* <i>Senecio mikanoides</i>	German ivy	X
* <i>Silybum marianum</i>	Milk thistle	X
* <i>Sonchus asper</i>	Prickly sow thistle	X
* <i>Sonchus oleraceus</i>	Common sow thistle	X
<i>Stephanomeria exigua</i>	Small wreath plant	X
<b>Betulaceae</b>	<b>Birch Family</b>	
<i>Alnus rhombifolia</i>	White alder	X
<b>Brassicaceae</b>	<b>Mustard Family</b>	
* <i>Brassica nigra</i>	Black mustard	X
<i>Cardamine oligosperma</i>	Bitter-cress	X
<i>Caulanthus coulteri</i>	Coulter's jewel flower	X
<i>Erysimum capitatum</i>	Douglas' wallflower	X
* <i>Hirschfeldia incana</i>	Summer mustard	X
* <i>Lobularia maritima</i>	Sweet-alyssum	X
* <i>Sisymbrium irio</i>	London rocket	X
<i>Thysanocarpus curvipes</i>	Lacepod	X
<b>Cactaceae</b>	<b>Cactus Family</b>	
* <i>Opuntia ficus-indica</i>	Indian fig	X
<i>Opuntia occidentalis</i>	Western prickly pear	X
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>	
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern honeysuckle	X
<i>Symphoricarpos mollis</i>	Spreading snowberry	X
<b>Caryophyllaceae</b>	<b>Pink Family</b>	
* <i>Cerastium glomeratum</i>	Mouse-ear chickweed	X
<i>Polycarpon depressum</i>	California polycarp	X
* <i>Silene gallica</i>	Common catchfly	X
<i>Silene laciniata</i>	Mexican pink	X
* <i>Stellaria media</i>	Chickweed	X
<b>Chenopodiaceae</b>	<b>Goosefoot Family</b>	
* <i>Atriplex semibaccata</i>	Australian saltbush	X
* <i>Chenopodium album</i>	Lamb's quarters	X
* <i>Chenopodium murale</i>	Nettle-leaved goosefoot	X
* <i>Salsola tragus</i>	Russian thistle	X
<b>Cistaceae</b>	<b>Rock-Rose Family</b>	
* <i>Cistus creticus</i>	Purple rock rose	X
<i>Helianthemum scoparium</i>	California rush rose	X
<b>Convolvulaceae</b>	<b>Morning-Glory Family</b>	
* <i>Convolvulus arvensis</i>	Field bindweed	X
<i>Cuscuta californica</i>	Witch's hair	X
<i>Cuscuta subinclusa</i>	Canyon dodder	X
<b>Crassulaceae</b>	<b>Stonecrop Family</b>	
* <i>Aeonium</i> sp.	Pinwheel plant	X
* <i>Crassula argentea</i>	Jade plant	X
* <i>Crassula tetragonna</i>	Miniature pine tree	X
<i>Dudleya lanceolata</i>	Lance-leaved dudleya	X

Scientific Name	Common Name	Observed
<b>Cucurbitaceae</b>	<b>Gourd Family</b>	
<i>Marah macrocarpus</i>	Man root	X
<b>Ericaceae</b>	<b>Heath Family</b>	
<i>Arctostaphylos glandulosa</i>	Eastwood manzanita	X
<b>Euphorbiaceae</b>	<b>Spurge Family</b>	
<i>Chamaesyce albomarginata</i>	Rattlesnake spurge	X
<i>Chamaesyce polycarpa</i> subsp. <i>hirtella</i>	Small-seed sandmat	X
* <i>Euphorbia peplus</i>	Petty spurge	X
* <i>Ricinus communis</i>	Castor bean	X
<b>Fabaceae</b>	<b>Legume Family</b>	
* <i>Acacia</i> sp.	Acacia	X
<i>Astragalus brauntonii</i>	Braunton's milk-vetch	X
* <i>Bituminaria bituminosa</i>	Arabian pea	X
* <i>Ceratonia siliqua</i>	Carob	X
* <i>Colutia arborescens</i>	Bladder senna	X
<i>Lathyrus vestitus</i> var. <i>vestitus</i>	Chaparral sweet pea	X
<i>Lotus purshianus</i>	Spanish lotus	X
<i>Lotus salsuginosus</i> var. <i>salsuginosus</i>	Alkali lotus	X
<i>Lotus scoparius</i> subsp. <i>brevialatus</i>	Desert deerweed	X
<i>Lotus scoparius</i> subsp. <i>scoparius</i>	Deer weed	X
<i>Lupinus excubitus</i> var. <i>hallii</i>	Guard lupine	X
<i>Lupinus truncatus</i>	Collar lupine	X
* <i>Medicago polymorpha</i>	Bur clover	X
* <i>Melilotus albus</i>	White sweet clover	X
* <i>Melilotus indica</i>	Yellow sweet clover	X
* <i>Robinia pseudoacacia</i>	Black locust	X
* <i>Spartium junceum</i>	Spanish broom	X
<i>Trifolium</i> sp.	Clover	X
<i>Trifolium gracilentum</i>	Pin-point clover	X
* <i>Vicia</i> sp.	Vetch	X
<b>Fagaceae</b>	<b>Oak Family</b>	
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	Coast live oak	X
<i>Quercus berberidifolia</i>	California scrub oak	X
<i>Quercus chrysolepis</i>	Canyon live oak	X
<i>Quercus durata</i> ssp. <i>gabrielensis</i>	Leather oak	X
<i>Quercus engelmannii</i>	Engelmann oak	X
<b>Gentianaceae</b>	<b>Gentian Family</b>	
<i>Centaurium exaltatum</i>	Desert centaury	X
<b>Geraniaceae</b>	<b>Geranium Family</b>	
* <i>Erodium brachycarpum</i>	Short-fruited filaree	X
* <i>Erodium cicutarium</i>	Red-stemmed filaree	X
* <i>Erodium moschatum</i>	White-stemmed filaree	X
<b>Grossulariaceae</b>	<b>Gooseberry Family</b>	
<i>Ribes aureum</i> var. <i>gracillimum</i>	Golden currant	X
<i>Ribes californicum</i> var. <i>hesperium</i>	Hillside gooseberry	X
<i>Ribes malvaceum</i> var. <i>viridifolium</i>	Chaparral currant	X
<i>Ribes speciosum</i>	Fuchsia-flowered gooseberry	X
<b>Hippocastanaceae</b>	<b>Buckeye Family</b>	
<i>Aesculus californica</i>	California buckeye	X
<b>Hydrophyllaceae</b>	<b>Waterleaf Family</b>	

Scientific Name	Common Name	Observed
<i>Nemophila pedunculata</i>	Meadow nemophila	X
<i>Phacelia cicutaria</i>	Caterpillar phacelia	X
<i>Phacelia distans</i>	Common phacelia	X
<i>Phacelia grandiflora</i>	Large-flowered phacelia	X
<i>Phacelia minor</i>	Wild Canterbury-bell	X
<i>Phacelia parryi</i>	Parry's phacelia	X
<i>Phacelia ramosissima</i>	Branching phacelia	X
<b>Juglandaceae</b>	<b>Walnut Family</b>	
<i>Juglans californica</i> var. <i>californica</i>	Southern California black walnut	X
<b>Lamiaceae</b>	<b>Mint Family</b>	
* <i>Lamium amplexicaule</i>	Common henbit	X
* <i>Marrubium vulgare</i>	Horehound	X
<i>Salvia apiana</i>	White sage	X
<i>Salvia columbariae</i>	Chia	X
<i>Salvia leucophylla</i>	Purple sage	X
<i>Salvia mellifera</i>	Black sage	X
<i>Stachys rigida</i>	Hedge nettle	X
<b>Lauraceae</b>	<b>Laurel Family</b>	
* <i>Persea americana</i>	Avocado	X
<i>Umbellularia californica</i>	California bay laurel	X
<b>Loasaceae</b>	<b>Stick-Leaf Family</b>	
<i>Mentzelia micrantha</i>	Small-flowered stick-leaf	X
<b>Malvaceae</b>	<b>Mallow Family</b>	
<i>Sidalcea malvaeflora</i> ssp. <i>sparsiflora</i>	Scapose checker bloom	X
<b>Moraceae</b>	<b>Fig Family</b>	
* <i>Ficus carica</i>	Common fig	X
* <i>Ficus nitida</i>	Indian laurel fig	X
<b>Myrtaceae</b>	<b>Myrtle Family</b>	
* <i>Eucalyptus</i> spp.	Eucalyptus	X
<b>Nyctaginaceae</b>	<b>Four O'clock Family</b>	
* <i>Bougainvillea</i> sp.	Bougainvillea	X
<i>Mirabilis californica</i>	California wishbone bush	X
<b>Oleaceae</b>	<b>Olive Family</b>	
<i>Fraxinus velutina</i>	Arizona ash	X
* <i>Olea europaea</i>	Olive	X
<b>Onagraceae</b>	<b>Evening primrose family</b>	
<i>Camissonia californica</i>	Mustard-like evening primrose	X
<i>Epilobium canum</i> ssp. <i>canum</i>	Narrow-leaved fuchsia	X
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	Green willow-Herb	X
* <i>Jasminum mesnyi</i>	Yellow Japanese jasmine	X
<b>Oxalidaceae</b>	<b>Oxalis Family</b>	
<i>Oxalis albicans</i> ssp. <i>californica</i>	California wood sorrel	X
<b>Paeoniaceae</b>	<b>Peony Family</b>	
<i>Paeonia californica</i>	California peony	X
<b>Papaveraceae</b>	<b>Poppy Family</b>	
<i>Eschscholzia californica</i>	California poppy	X
<b>Passifloraceae</b>	<b>Passion Vine Family</b>	
* <i>Passiflora edulis</i>	Passion flower	X
<b>Platanaceae</b>	<b>Sycamore Family</b>	
<i>Platanus racemosa</i>	Western sycamore	X

Scientific Name	Common Name	Observed
<b>Polemoniaceae</b>	<b>Phlox Family</b>	
<i>Eriastrum saphirinum</i>	Sapphire woolly-star	X
<b>Polygonaceae</b>	<b>Buckwheat Family</b>	
<i>Eriogonum elongatum</i> var. <i>elongatum</i>	Tall buckwheat	X
<i>Eriogonum fasciculatum</i> ssp. <i>foliolosum</i>	Interior flat-topped buckwheat	X
* <i>Polygonum arenastrum</i>	Common knotweed	X
<i>Pterostegia drymarioides</i>	Granny's hairnet	X
* <i>Rumex crispus</i>	Curly dock	X
<b>Primulaceae</b>	<b>Primrose Family</b>	
* <i>Anagallis arvensis</i>	Scarlet pimpernel	X
<b>Proteaceae</b>	<b>Protea Family</b>	
* <i>Grevillia robusta</i>	Silk oak	X
* <i>Macadamia integrifolia</i>	Macadamia	X
<b>Punicaceae</b>	<b>Pomegranate Family</b>	
* <i>Punica granatum</i>	Pomegranate	X
<b>Ranunculaceae</b>	<b>Buttercup Family</b>	
<i>Clematis lasiantha</i>	Pipestem virgin's bower	X
<i>Delphinium cardinale</i>	Scarlet larkspur	X
<i>Delphinium patens</i> ssp. <i>hepaticoideum</i>	Liver-leaved larkspur	X
<i>Ranunculus californicus</i>	California buttercup	X
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>	
<i>Ceanothus cuneatus</i>	Buck bush	X
<i>Ceanothus leucodermis</i>	White bark lilac	X
<i>Ceanothus oliganthus</i>	Hairy lilac	X
<i>Rhamnus californica</i> ssp. <i>californica</i>	California coffee berry	X
<i>Rhamnus crocea</i>	Spiny redberry	X
<i>Rhamnus ilicifolia</i>	Holly-leaved redberry	X
<b>Rosaceae</b>	<b>Rose Family</b>	
<i>Adenostoma fasciculatum</i>	Chamise	X
<i>Cercocarpus betuloides</i>	California mountain mahogany	X
<i>Heteromeles arbutifolia</i>	Toyon	X
<i>Potentilla glandulosa</i> ssp. <i>glandulosa</i>	Sticky cinquefoil	X
<i>Prunus ilicifolia</i>	Holly-leaved cherry	X
* <i>Prunus persicaria</i>	Peach	X
<i>Prunus virginiana</i> var. <i>demissa</i>	Western choke cherry	X
<i>Rosa gymnocarpa</i>	Wood rose	X
<i>Rubus ursinus</i>	California blackberry	X
<b>Rubiaceae</b>	<b>Madder Family</b>	
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral bedstraw	X
<i>Galium angustifolium</i> subsp. <i>gabrielense</i>	San Gabriel bedstraw	X
* <i>Galium aparine</i>	Common bedstraw	X
<b>Rutaceae</b>	<b>Citrus Family</b>	
* <i>Citrus limon</i>	Lemon tree	X
<b>Salicaceae</b>	<b>Willow Family</b>	
<i>Populus balsamifera</i> var. <i>trichocalyx</i>	Black cottonwood	X
<i>Salix goodingii</i>	Black willow	X
<i>Salix lasiolepis</i>	Arroyo willow	X
<b>Scrophulariaceae</b>	<b>Figwort Family</b>	
<i>Keckiella cordifolia</i>	Heart-leaved penstemon	X
<i>Mimulus aurantiacus</i>	Orange bush monkey flower	X

Scientific Name	Common Name	Observed
<i>Penstemon heterophyllus</i> var. <i>australis</i>	Chaparral penstemon	X
<i>Penstemon spectabilis</i>	Royal penstemon	X
* <i>Verbascum thapsus</i>	Woolly mullein	X
<i>Veronica</i> sp.	Speedwell	X
<b>Simaroubaceae</b>	<b>Simarouba Family</b>	
* <i>Ailanthus altissima</i>	Tree-of-heaven	X
<b>Solanaceae</b>	<b>Nightshade Family</b>	
* <i>Cestrum</i> sp.	Jessamine	X
* <i>Nicotiana glauca</i>	Tree tobacco	X
<i>Nicotiana quadrivalvis</i>	Wallace's tobacco	X
<i>Solanum douglasii</i>	Douglas' nightshade	X
<i>Solanum nigrum</i>	Black nightshade	X
<i>Solanum xanti</i>	Chaparral nightshade	X
<b>Sterculiaceae</b>	<b>Cacao Family</b>	
* <i>Brachychiton populneus</i>	Bottle tree	X
<b>Ulmaceae</b>	<b>Elm Family</b>	
<i>Celtis reticulata</i>	Net-leaf hackberry	X
* <i>Ulmus parvifolia</i>	Chinese elm	X
<b>Urticaceae</b>	<b>Nettle Family</b>	
<i>Parietaria hespera</i>	Western pellitory	X
<i>Urtica dioica</i> ssp. <i>holosericea</i>	Hoary nettle	X
<b>Verbenaceae</b>	<b>Vervain Family</b>	
* <i>Lantana camara</i>	Lantana	X
* <i>Lantana montevidensis</i>	Weeping lantana	X
<b>Vitaceae</b>	<b>Grape Family</b>	
<i>Vitis</i> sp.	Grape	X
<b>ANGIOSPERMAE: MONOCOTYLEDONAE</b>	<b>MONOCOT FLOWERING PLANTS</b>	
<b>Asphodelaceae</b>	<b>Asphodel Family</b>	
* <i>Aloe</i> spp.	Aloe	X
<b>Agavaceae</b>	<b>Agave Family</b>	
* <i>Agave americana</i>	American agave	X
<i>Yucca whipplei</i>	Chaparral yucca	X
<b>Arecaceae</b>	<b>Palm Family</b>	
* <i>Syagrus romanzoffiana</i>	Queen palm	X
* <i>Washingtonia robusta</i>	Mexican fan palm	X
<b>Iridaceae</b>	<b>Iris Family</b>	
<i>Sisyrinchium bellum</i>	Blue-eyed grass	X
<b>Liliaceae</b>	<b>Lily Family</b>	
<i>Calochortus clavatus</i> var. <i>gracilis</i>	Slender mariposa lily	
<i>Calochortus plummerae</i>	Plummer's mariposa lily	X
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Wavy-leaved soap plant	X
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue dicks	X
<b>Poaceae</b>	<b>Grass Family</b>	
<i>Achnatherum coronatum</i>	Giant needlegrass	X
* <i>Avena</i> sp.	Oat	X
* <i>Avena fatua</i>	Wild oat	X
* <i>Bromus diandrus</i>	Ripgut brome	X
* <i>Bromus hordeaceus</i>	Soft chess	X
* <i>Bromus madritensis</i> ssp. <i>rubens</i>	Red brome	X
* <i>Bromus mollis</i>	Soft chess	X



Scientific Name	Common Name	Observed
* <i>Cortaderia selloana</i>	Pampas grass	X
* <i>Cynodon dactylon</i>	Bermuda grass	X
* <i>Digitaria sanguinalis</i>	Crab grass	X
* <i>Hordeum murinum</i> ssp. <i>leporinum</i>	Foxtail barley	X
* <i>Lamarckia aurea</i>	Golden top	X
<i>Leptochloa uninervia</i>	Mexican sprangletop	X
<i>Leymus condensatus</i>	Giant wildrye	X
* <i>Lolium perenne</i>	Perennial ryegrass	X
<i>Melica imperfecta</i>	Small-flowered melic grass	X
<i>Nassella lepida</i>	Foothill needlegrass	X
* <i>Pennisetum setaceum</i>	African fountain grass	X
* <i>Piptatherum miliaceum</i>	Millet ricegrass	X
* <i>Poa annua</i>	Annual blue grass	X
* <i>Setaria viridis</i>	Green bristlegrass	X
* <i>Vulpia myuros</i>	Foxtail fescue	X
<b>Typhaceae</b>	<b>Cat-Tail Family</b>	
<i>Typha latifolia</i>	Broad-leaved cat-tail	X